





Wellmax Metal Pressings

WELLMAX PLASTICS



ILLUSTRATED ORDER CATALOGUE

January 2013

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

CONTENTS

SECTION	PAGE
WEBBING ACCESSORIES	4
BUCKLES	12
TENT & TARPAULIN ACCESSORIES	21
MISCELLANEOUS	42
PLASTIC INJECTION MOULDINGS	52

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


WEBBING ACCESSORIES

NB: Measurements in Millimetres

'D' RING

PART NO	W101	W103	W104	W105	W106
A	80	52	40	29	26
B	49	36	29	18	19
C	10	5	5	4	3

PART NO	W107	W108	W109	W164	W169
A	21	16	12	50	32
B	16	12	9	43	25
C	3	2.5	2.5	10	4




MATERIAL - Mild Steel - Butt Welded

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO) Nylon Coated (NC)

Add G, NP, BO or NC after Part No.

'O' RING

PART NO	W110	W111	W112	W166	W171
A	40	22	13	50	38
B	4	3	3	5	5




MATERIAL - Mild Steel - Butt Welded

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO) Nylon Coated (NC)

Add G, BO or NC after Part No.

RECTANGLE

PART NO	W114	W115	W116	W117	W160
A	41	34	29	21	38
B	15	25	12	10	25
C	4	4	3	3	4




MATERIAL - Mild Steel - Butt Welded

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO) Nylon Coated (NC)

Add G, NP, BO or NC after Part No.

FLAT SLIDE

PART NO	W119	W120
A	51	26
B	6	6
C	25	26
D	1.6	2



MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)

Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


CURVED SLIDE

PART NO	W122	W123	W124	W125	W126
A	41	41	38	26	21
B	5	11	6.5	6	9
C	20	39	26	23	27
D	1.6	1.2	1.2	2	2

MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.




ROUNDED SLIDE

PART NO	W127
A	48
B	6
C	25
D	2

MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.




RAISED BAR SLIDE

PART NO	W128
A	60
B	4
C	22
D	2

MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.




OPEN END SLIDE

PART NO	W129	W130
A	52	27
B	6.5	7
C	28	26
D	2.5	2.5

MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.




RIGHT ANGLE SLIDE

PART NO	W132	W133
A	27	21
B	6	9
C	2	2

MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

OPEN SLIDE

PART NO	W134
A	26
B	12
C	26
D	2





MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.

THREE BAR SLIDE

PART NO	W137	W175
A	27	19
B	6	6
C	9	9
D	2	2
E	42	42
F	2	2




MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Nickle Plated (NP)
Brass Plated (BP) Black Oxidised (BO) Nylon Coated (NC)

Add UP, G, NP, BP, BO or NC after Part No.

RIFLE SLING SLIDE

PART NO	W181
A	38
B	26
C	2



MATERIAL - Mild Steel

FINISH - Black Oxidised (BO)

H SLIDE


PART NO	W138
A	27
B	44
C	2

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, BP or YP after Part No.

Normal stock (UP). Others on request.



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za


WELLMAX PLASTICS

FLAT HOOK (RIVETING)

PART NO	W141
A	45
B	38
C	2

MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.
Normal stock (G) and (BO). Others on request.




FLAT HOOK (WEBBING)

PART NO	W142
A	45
B	27
C	2

MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.
Normal stock (G) and (BO). Others on request.




WEBBING BELT HOOK

PART NO	W143	W179
A	57	45
B	4	4

MATERIAL - Mild Steel/Brass
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, NP or YP after Part No.
Normal stock (UP), (BP), (NP) and (NC). Others on request.




STANDARD CARIBEAN HOOK

PART NO	W144
A	26
B	49
C	2

MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.
Normal stock (NC) and (BO). Others on request.



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

FLAT CARIBEAN HOOK


PART NO	W145
A	28
B	49
C	2

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
 Unplated (UP) Brass Plated (BP)
 Yellow Passivated (YP)

Add G, NP, BO, UP, BP or YP after Part No.

Normal stock (BO). Others on request.



WIRE CARIBEAN HOOK


PART NO	W146
A	28
B	57
C	3.5

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
 Unplated (UP) Brass Plated (BP)
 Yellow Passivated (YP)

Add G, NP, BO, UP, BP or YP after Part No.

Normal stock (BO). Others on request.



SLOTTED T BAR


PART NO	W147
A	27
B	54
C	2

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
 Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
 Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.

No stock held. Made on request.




SLOTTED T-BAR WITH HOLE

PART NO	W180
A	27
B	54
C	1.5
D	10

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nylon Coated (NY)



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

CLASP BUCKLE (MALE)


PART NO	W149	W150
A	57	47
B	2	2

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.

Normal stock (BO), (NC) and (NP). Others on request.



CLASP BUCKLE (FEMALE)


PART NO	W151	W152
A	57	47
B	2	2

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.

Normal stock (BO), (NC) and (NP). Others on request.




HORSE BLANKET BRACKET (MALE)

PART NO	W176
A	50
B	2

MATERIAL - Mild Steel

FINISH - Nickel Plated (NI)




HORSE BLANKET BRACKET (FEMALE)

PART NO	W177
A	50
B	2

MATERIAL - Mild Steel

FINISH - Nickel Plated (NI)





Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

RIFLE SLING TIP (DOUBLE HOOK)


PART NO	W153	W154
A	57	32
B	5	4
C	0.5	0.5



MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Brass Plated (BP)
Yellow Passivated (YP)
Add G, NP, BO, UP, BP or YP after Part No.
Normal stock (UP) and (BP). Others on request.

RIFLE SLING TIP (SINGLE HOOK)


PART NO	W155
A	57
B	5
C	0.5



MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Brass Plated (BP)
Yellow Passivated (YP)
Add G, NP, BO, UP, BP or YP after Part No.
Normal stock (UP). Others on request.

KIT BAG CLIP


PART NO	W156
A	52
B	56
C	4



MATERIAL - Mild Steel
FINISH - Galvanised (G)
Add G after Part No.
Normal Stock (G). Others on request.

KIT BAG CLIP LOOP

PART NO	W157
A	56
B	10
C	3



MATERIAL - Mild Steel
FINISH - Galvanised (G)
Add G after Part No.
Normal Stock (G). Others on request.

Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BELT LOOP

PART NO	W158
A	61
B	64
C	11
D	9
E	0.9


MATERIAL - Mild Steel
FINISH - Black Oxidised (BO), Green Nylon (NC)
Brass Plated (BP), Nickle Plated (NP)
Add BO, NC, BP, or NP after Part No.



TRIANGLE

PART NO	W159	W183
A	25	38
B	4	5


MATERIAL - Mild Steel - Butt Welded
FINISH - Galvanised (G) Nickle Plated (NP)
Add G or NP after Part No.
Normal Stock (G). Others on request.



FLAT HOOK RIVETING (SPECIAL)

PART NO	W161
A	46
B	37
C	2


MATERIAL - Mild Steel
FINISH - Galvanised (G)
Add G after Part No.
Normal Stock (G).



BACKING PLATE FLAT HOOK

PART NO	W165
A	38
B	17
C	2


MATERIAL - Mild Steel
FINISH - Galvanised (G)
Add G after Part No.
Normal Stock (G).



SMALL J-HOOK

PART NO	W162
A	16
B	15
C	6
D	3

MATERIAL - Mild Steel
FINISH - Galvanised (G)
Add G after Part No.
Normal Stock (G).



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BUCKLES

NB: Measurements in Millimetres

DOUBLE PRONG BUCKLE


PART NO	B201
A	52
B	23
C	0.6

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, BP or YP after Part No.

Normal stock (NP) and (BP). Others on request.



PRESSED SINGLE PRONG BUCKLE


PART NO	B202	B203	B204	B249	B262
A	52	45	38	30	57
B	31	31	25	25	32
C	2.5	2.5	2.5	3	3

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, BP or YP after Part No.

Normal stock (NP) and (BP). Others on request.



PRESSED DOUBLE PRONG BUCKLE


PART NO	B271
A	52
B	31
C	2.5

MATERIAL - Mild Steel

FINISH - Nickle Plated (NP) Brass Plated (BP)

Add NP, BP after Part No.

Normal stock (NP). Others on request.




PIN BUCKLE

PART NO	B213	B265
A	36	40
B	48	54
C	0.9	0.9

MATERIAL - Brass, Stainless Steel

FINISH - Polished

Stock held of Stainless Steel and Brass



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BELT TIP

PART NO	B214	B215	B216	B248
A	45	32	28	38
B	8	8	8	8
C	0.9	0.9	0.9	0.9



MATERIAL - Mild Steel, Stainless Steel, Brass
FINISH - Galvanised (G) Black Oxidised (BO) Unplated (UP)
Add G, BO or UP, Stainless Steel or Brass after Part No.
Stock held (G), Stainless Steel and Brass.



OVERCENTRE BUCKLE

PART NO	B218
A	51
B	157
C	43
D	1.6
E	2.5

MATERIAL - EN42 Hardened
FINISH - Tin Plated (TP)
Add TP after Part No.
Normal stock (TP)




SECURING HOOK CLOSED

PART NO	B220	B268	B289
A	47	47	25
B	80	80	47
C	10	6	6

MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO) Unplated (UP) Brass Plated (BP) Yellow Passivated (YP)

Add G, NP, BO, UP, BP or YP after Part No.
Normal stock (G) and (YP). Others on request.




SECURING HOOK OPEN

PART NO	B221
A	53
B	45
C	10

MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO) Unplated (UP) Brass Plated (BP) Yellow Passivated (YP)

Add G, NP, BO, UP, BP or YP after Part No.
Normal stock (G) and (YP). Others on request.



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

CAP LAMP BUCKLE (MALE)


PART NO	B222	B223
A	78	51
B	70	57
C	5	3

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.

Normal stock (G) and (YP). Others on request.



CAP LAMP BUCKLE (FEMALE)


PART NO	B224	B2225
A	78	51
B	81	57
C	5	3

MATERIAL - Mild Steel

FINISH - Galvanised (G) Nickle Plated (NP) Black Oxidised (BO)
Unplated (UP) Nylon Coated (NC) Brass Plated (BP)
Yellow Passivated (YP)

Add G, NP, BO, UP, NC, BP or YP after Part No.

Normal stock (G) and (YP). Others on request.




TRIANGLE D-RINGS

PART NO	B226	B227
A	75	75
B	5	6
C	67.8	67.8

MATERIAL - Mild Steel

FINISH - Galvanised (G) Yellow Passivated (YP)




TRIANGLE 'D' RING WITH SLOT & HOLE

PART NO	B228	B229
A	75	75
B	5	6
C	67.8	67.8
D	21	21
E	8	8

MATERIAL - Mild Steel

FINISH - Galvanised (G) Yellow Passivated (YP)




CEREMONIAL BUCKLES & HOOKS

PART NO	B232	B233	B234
A	50	57	75
B	67	70	90
C	0.9	0.9	0.9
D	61	67	81
E	12	12	12
F	3.2	3.2	3.2

MATERIAL - Stainless Steel/Brass

FINISH - Polished



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za


WELLMAX PLASTICS

CEREMONIAL BELT SLIDES

PART NO	B235	B236
A	57	75
B	64	85
C	20.5	20.5
D	1.2	1.6

MATERIAL - Mild Steel


FINISH - Nickle Plated (NP) Brass Plated (BP)



SAM BROWN BUCKLES

PART NO	B237
A	64
B	54
C	5
D	38

MATERIAL - Brass




DOUBLE GRIP BUCKLE

PART NO	B238
A	50
B	25.5
C	2.5
D	18
E	25

MATERIAL - Mild Steel

FINISH - Black Oxidised (BO)




BACKING PLATE

PART NO	B239
A	31
B	25
C	2.5
D	14
E	17.5

MATERIAL - Mild Steel

FINISH - Black Oxidised (BO)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

5 PIN BUCKLE

PART NO	B240
A	33
B	14
C	1.2


MATERIAL - Mild Steel
FINISH - Black Oxidised (BO)



'A' BUCKLE

PART NO	B241
A	29
B	19
C	1.2
D	5.4


MATERIAL - Mild Steel
FINISH - Black Oxidised (BO)



SPRING CLIPS

PART NO	B242
A	33
B	32
C	0.55


MATERIAL - Spring Steel
FINISH - Gun Kote (GK)



SPRING CLIPS

PART NO	B269
A	33
B	32
C	0.55


MATERIAL - Spring Steel
FINISH - Gun Kote (GK)



TUBULAR TIPS

PART NO	B243	B244	B245
A	25	17	19
B	14	14	14
C	0.5	0.5	0.5

MATERIAL - Brass
FINISH - Black Oxidised (BO) Nickle Plated (NP)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

HELMET BUCKLES

PART NO	B246
A	34
B	30
C	25
D	5
E	1.6


MATERIAL - Mild Steel
FINISH - Galvanised (G), Nickle Plated (NP)



RATCHET BUCKLES

PART NO	B247	B290
A	235	132
B	105	62
C	78	55
D	150	106
E	54	40
F	3	2


MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)



25mm RATCHET BUCKLE

PART NO	B283
A	112
B	50
C	27
D	1,5
E	84


MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)



LARGE BACKING PLATES

PART NO	B259
A	34
B	19
C	0.5

MATERIAL - Brass / Mild Steel
Any Finish



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

2-BAR BUCKLES

PART NO	B260
A	23
B	23
C	5
D	5
E	3
F	5
G	1.5


MATERIAL - Brass / Mild Steel
FINISH - Antique Copper/Black, Any Finish



3-BAR BUCKLES

PART NO	B261
A	29
B	23
C	5
D	3
E	5
F	3
G	5
H	1.5


MATERIAL - Brass / Mild Steel
FINISH - Antique Copper/Black, Any Finish



SMALL BACKING PLATES

PART NO	B263
A	30
B	20
C	19
D	15
E	29
F	2


MATERIAL - Brass and Mild Steel
FINISH - Antique Copper/Black, Any Finish



STAINLESS STEEL OVERCENTRE BUCKLE

PART NO	B264
A	175
B	64
C	52
D	2

MATERIAL - Stainless Steel Gr. 304



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za


WELLMAX PLASTICS

PARACHUTE BUCKLE

PART NO	B266
A	56
B	62
C	44
D	7
E	4

MATERIAL - Mild Steel

FINISH - Galvanised (G), Nickle Plated (NP) or Black Oxidised (BO)




45mm SLIDING BUCKLE

PART NO	B267
A	57
B	39
C	45
D	20
E	3

MATERIAL - Mild Steel

FINISH - Galvanised (G), Nickle Plated (NP) or Black Oxidised (BO)




CAM BUCKLE

PART NO	B273	B277	B278	B288
A	44	52	64	60
B	25	25	25	35
C	2.5	3	3	5

MATERIAL - Casting

FINISH - Galvanised (G)




ROLLER BUCKLE

PART NO	B276
A	25
B	32
C	1.2

MATERIAL - Mild Steel

FINISH - Nickel Plated (NI)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

SHACKLE

PART NO	B279	B280	B281	B282
A	61	73	101	121
B	21	26	26	38
C	9	11	11	20


MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP), Galvanised (G)



FLAT HOOKS

PART NO	B285	B286	B287
A	88	70	96
B	65	67	94
C	48	49.5	69
D	4.5	4.5	5


MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP), Galvanised (G), Unplated (UP)



CLOSED OBLONG S-HOOK

PART NO	B284
A	106
B	26
C	9

MATERIAL - Mild Steel
FINISH - Nylon Coated (NC)



BUCKLES


Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

TENT & TARPAULIN ACCESSORIES

NB: Measurements in Millimetres



UPRIGHT POLE - 2 SECTION


PART NO	T301	T302	T303	T304	T305	T306	T307
A	1830	1980	2130	2280	2440	2590	2740
B	25.40	25.40	25.40	25.40	25.40	25.40	25.40
C	0.9	0.9	0.9	0.9	0.9	0.9	0.9

PART NO	T308	T309	T310	T311	T312
A	1520	1670	1830	1980	2130
B	19.05	19.05	19.05	19.05	19.05
C	0.9	0.9	0.9	0.9	0.9

MATERIAL - Mild Steel Tubing

FINISH - Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.



UPRIGHT POLES - 2 SECTION - ALUMINIUM

PART NO	T491	T492	T493	T494
A	1520	1830	1830	2130
B	19.05	19.05	25.4	25.4
C	1.2	1.2	1.2	1.2

MATERIAL - Aluminium

FINISH - Unplated (UP)



UPRIGHT POLES/PLASTIC CLIP - 2 SECTION

PART NO	T472
A	2130
B	25.4
C	0.9

MATERIAL - Mild Steel Tubing


FINISH - Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS




RIDGE POLES - 3 SECTION

PART NO	T313	T314	T315	T316	T317	T318
A	2740	3050	3290	3660	1900	2000
B	25.40	25.40	25.40	25.40	19.05	19.05
C	0.9	0.9	0.9	0.9	0.9	0.9

MATERIAL - Mild Steel Tubing

FINISH - Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.



RIDGE POLES - 2 SECTION


PART NO	T319	T320	T321	T322	T323	T324	T325	T326
A	1830	1980	2130	2280	2440	2590	2740	3050
B	25.40	25.40	25.40	25.40	25.40	25.40	25.40	25.40
C	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9

MATERIAL - Mild Steel Tubing


FINISH - Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.

RIDGE POLE ASSEMBLY



SPRING LOADED RIDGE POLE - 2 SECTION



PART NO	T327	T328
A	2440	2740
B	25.40	25.40
C	0.9	0.9
D	22.23	22.23

MATERIAL - Mild Steel Tubing

FINISH - Galvanised (G) Yellow Passivated (YP)


Other sizes available on request.

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

COTTAGE TENT POLE (CENTRE POLE)




PART NO	T329	T388	T389
A	3600	3050	2740
B	50.8	50.8	50.8
C	1.2	1.2	1.2
D	135	135	135
E	270	270	270
F	12	12	12

MATERIAL - Mild Steel Tubing

FINISH - Galvanised (G) Yellow Passivated (YP)

Other sizes available on request including 38 mm Dia. Tubing.

RIDGE POLE - 2 SECTION



PART NO	T330
---------	------


Made only to order - Quote sizes.

A, B, C when ordering.

MATERIAL - Mild Steel

FINISH - Galvanised (G) Yellow Passivated (YP)

WALL POLE



PART NO	T331
A	1830
B	25.4
C	1.2


MATERIAL - Mild Steel Tubing

FINISH - Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.

PLAIN POLES

PART NO	T441
A	Length
B	Pipe Diameter
C	Wall Thickness



MATERIAL - Mild Steel Tubing

FINISH - Galvanised (G) Yellow Passivated (YP)

Sizes on request.

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS




ILLUSTRATION
OF A TYPICAL TENT FRAME

FRAME TENT POLES

MATERIAL - Mild Steel


FINISH - Galvanised (G) Yellow Passivated (YP)

Part Numbers T332 - T348 are made up of 25,4 mm diameter tubing with a 0.9 mm wall thickness.


PART NO	T332
A	900




PART NO	T333
A	900



PART NO	T334
A	935



PART NO	T335
A	1235




Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


PART NO	T336
A	815
B	135




PART NO	T337
A	800




PART NO	T338
A	1100




PART NO	T339
A	815
B	135
C	135



PART NO	T340
A	800



PART NO	T341
A	930
B	125
C	125




Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


PART NO	T342
A	930
B	125
C	125




PART NO	T344
A	880
B	125
C	135




PART NO	T345
A	815
B	135



PART NO	T346
A	930
B	50
C	125



PART NO	T347
A	930
B	50
C	125




Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

PART NO	T343
A	355
B	135




PART NO	T348
A	295
B	135



ANKER PEG

PART NO	T349	T430	T351	T505	T504
A	450	400	300	250	200
B	350	250	200	150	100
C	60	30	40	30	30
D	52	20	25	20	18
E	8	6	5	5	4




MATERIAL - Spring Steel

FINISH - Unplated (UP) Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.

WALL PEG

PART NO	T540	T507	T423	T352	T425	T354	T506
A	450	400	300	260	250	200	150
B	40	35	20	30	2	30	2
C	50	4	3	42	3	48	3
D	8	6	5	6	5	5	4




MATERIAL - Spring Steel

FINISH - Unplated (UP) Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.

SAND PEG

PART NO	T533
A	400
B	6
C	60




MATERIAL - Mild Steel

FINISH - Galvanised (G), Yellow Passivated (YP)

TENT PEG

PART NO	T355
A	900
B	105
C	16



MATERIAL - Mild Steel

FINISH - Unplated (UP) Galvanised (G) Yellow Passivated (YP)

Other sizes available on request.

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

TENT PEG - 600mm


PART NO	T532
A	600
B	60
C	16



MATERIAL - Mild Steel
FINISH - Galvanised (G)

SPRINGRODS


PART NO	T534
A	800
B	6
C	40
D	700



MATERIAL - Mild Steel
FINISH - Galvanised (G), Yellow Passivated (YP)
*Other sizes on request

GROUND SHEET PEG


PART NO	T496
A	150
B	35
C	2.5
D	6



MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)

GROUND SHEET PEG WITH TUBE


PART NO	T535
A	200
B	6
C	150
D	50
E	2.5
F	22



MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)

25mm POLE PEG

PART NO	T536
A	50
B	102
C	50
D	8
E	32



MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)


Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

PEG HAMMER WITH CAP


PART NO	T503
A	250
B	73
C	30
D	19.05



MATERIAL - Mild Steel Round Tube/Mild Steel Round Bar
FINISH - Galvanised (G) - Green Galvanised (GRGA) - Yellow Passivated (YP)

PEG HAMMER WITH HOOK


PART NO	T501
A	280
B	73
C	30
D	19.05



MATERIAL - Mild Steel Round Tube/Mild Steel Round Bar
FINISH - Galvanised (G) - Green Galvanised (GRGA) - Yellow Passivated (YP)

1,1 KG TENT PEG HAMMER


PART NO	T520
A	275
B	80
C	40
D	30x16



MATERIAL - Mild Steel
FINISH - Galvanised (G) - Green Galvanised (GRGA)

VENT IRON


PART NO	T356
A	230
B	15
C	6



MATERIAL - Mild Steel
FINISH - Galvanised (G)

ROPE ADJUSTER

PART NO	T357
A	38
B	5
C	3



MATERIAL - Aluminium
FINISH - Unplated (UP)

Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

7mm ALUMINIUM ROPE SLIDER

PART NO	T537
A	130
B	7
C	12


MATERIAL - Aluminium



BRACING LINE

PART NO	T358
A	900
B	1800


MATERIAL - Chain Links 28 mm x 16 mm x 4 mm
Cable Construction 6 x 7 x 3 mm Dia.
FINISH - Galvanised (G)



SHADOW BRACING LINE

PART NO	T386
A	900
B	1800
C	190


MATERIAL - Chain Links 28 mm x 16 mm x 4 mm; Cable Construction 6 x 7 x 3 mm Dia. plus
Mild Steel Swivel Bracket
FINISH - Galvanised (G)



ROPE BRACING LINE

PART NO	T484
---------	------


Nylon Ski-Rope 2800 mm x 7 mm plus
7 mm Non-slip plastic rope adjuster.



POLE SPRINGS

PART NO	T517
A	110
B	10
C	30
D	1.25

MATERIAL - Spring Steel
FINISH - Yellow Passivated (YP)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

TENT HOOK

PART NO	T359
A	40
B	21
C	2.5


MATERIAL - Mild Steel
FINISH - Galvanised (G) Yellow Passivated (YP)
Add G or YP after Part No.
Normal Stock (G). Others on request.



FLAT TENT HOOK

PART NO	T361	T540
A	28	40
B	32	32
C	2.5	2.5


MATERIAL - Mild Steel
FINISH - Galvanised (G) Yellow Passivated (YP)
Add G or YP after Part No.
Normal Stock (G). Others on request.



TENT HOOK EYE

PART NO	T362
A	17
B	2.5


MATERIAL - Mild Steel
FINISH - Galvanised (G) Yellow Passivated (YP)
Add G or YP after Part No.
Normal Stock (G). Others on request.



'S' HOOK

PART NO	T363
A	28
B	29
C	3


MATERIAL - Spring Steel or Mild Steel
FINISH - Nylon Coated (NC) Yellow Passivated (YP)
Add NC or YP after Part No.
Normal Stock (NC).



LARGE 'S' HOOK

PART NO	T463
A	50
B	56
C	3

MATERIAL - Mild Steel
FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

S-HOOK - TYPE T

PART NO	T538
A	64
B	22
C	3


MATERIAL - Mild Steel
FINISH - Galvanised (G)



S-HOOK - TYPE C

PART NO	T539
A	67
B	26
C	2


MATERIAL - Mild Steel
FINISH - Galvanised (G)



EYELET

PART NO	T367-TG4	T368-TG7
A	9	12
B	12	26
C	0.5	0.5


MATERIAL - Brass
FINISH - Unplated (UP)
Add UP after Part No.



ALUMINIUM FERRULE

PART NO	T369
A	16
B	14
C	1.6


MATERIAL - Aluminium
FINISH - Unplated (UP)
Add UP after Part No.
Other sizes available on request.



ROPE TIP

PART NO	T370	T495
A	5	7
B	10	10
C	0.6	0.6

MATERIAL - Mild Steel
FINISH - Galvanised (G)
Add G after Part No.




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


POLE CLIP

PART NO	T511	T515	T516
A	60	60	100
B	6	8	10
C	8	8	10
D	0.5	0.5	1




MATERIAL - Stainless Steel/Spring Steel
 FINISH - Unplated (UP) Galvanised (G)

STANDARD-MERU TENT FRAME (THREE SECTION)




MATERIAL - Mild Steel Tubing 31,75 mm Dia. x 1,6 mm wall Thickness
 FINISH - Galvanised (G) Yellow Passivated (YP)
 - Powder Coated (PC)


PART NO	T371
A	1510




PART NO	T372
A	1440



PART NO	T373
A	1875



PART NO	T376
A	440
B	175
C	540



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

CAMP BED - A

PART NO	T377
A	1800
B	700
C	200
D	19.05
E	7 Dia. Spring steel


MATERIAL - Mild Steel Tubing
Spring Steel Legs
FINISH - Galvanised (G)



CAMP BED - B

PART NO	T378	T392
A	1900	1900
B	660	660
C	250	400
D	22.23 Square	22.23 Square
E	22.23 Round	22.23 Round


MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G)



CAMP BED - USA

PART NO	T502
A	1935
B	725
C	420
D	25,4 Square
E	25,4x38,10 Rectangular


MATERIAL - Mild Steel Tubing
FINISH - Green Galvanised



FOLD-AWAY BED

PART NO	T528
A	1900
B	760
C	360

MATERIAL - Legs - Mild Steel Tube 31.75mm
Frame - Angle Iron 40x40x3mm
FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BACK PACK FRAME

PART NO	T379
A	650
B	380
C	19.05
D	120
E	35
F	6


MATERIAL - Mild Steel
FINISH - Powder Coated (PC)



BUNDU CHAIR

PART NO	T380
A	780
B	520
C	430
D	420
E	500
F	19.05


MATERIAL - Mild Steel
FINISH - Galvanised (G)
- Powder Coated (PC)



CAMPING CHAIR

PART NO	T381
A	350
B	480
C	19.05

MATERIAL - Mild Steel
FINISH - Galvanised (G)




DIRECTORS CHAIR WITH GLASS HOLDER

PART NO	T466
A	910
B	220
C	500
D	440
E	19

MATERIAL - Mild Steel
FINISH - Galvanised (G)
- Powder Coated (PC)

PART NO	T467
---------	------

Available as per T466 above but with no glass holder.



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

FISHERMAN'S STOOL

PART NO	T514
A	750
B	425
C	340
D	375
E	350
F	19.05


MATERIAL - Mild Steel
FINISH - Galvanised (G)



TOILET CHAIR

PART NO	T478
A	320
B	360
C	19.05


MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G)



TOILET FRAMES

PART NO	T397
A	1980
B	1000
C	25.4

MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BOW TENT FRAME

PART NO	T382	T383	T471	T419
A	2400	3000	2100	2700
B	2400	3000	2100	2700
C	8	8	8	8

MATERIAL - Spring Steel
FINISH - Powder Coated (PC) Black/Green
Galvanised (G) Yellow Passivated (YP)
Linked with cord.



ADVENTURE BOW TENT FRAME


PART NO	T395
A	2200
B	1850
C	8

MATERIAL - Spring Steel
FINISH - Powder Coated (PC) Galvanised (G)
Linked with cord.

APEX CUPS STEEL

PART NO	T385
A	132
B	15
C	1.6


MATERIAL - Mild Steel
FINISH - Galvanised (G)



WASH BASIN STANDS

PART NO	T393
A	1040
B	305
C	19.05

MATERIAL - Mild Steel
FINISH - Galvanised (G)
- Powder Coated (PC)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

SHOWER FRAMES

PART NO	T396
A	3000
B	2000
C	1000
D	1480
E	1980
F	25.4


MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G)



MARQUEE REINFORCEMENT PEG

PART NO	T485
A	500
B	25
C	52


MATERIAL - Mild Steel
FINISH - Unplated (UP)



MARQUEE SPECIAL APEX FITTING

PART NO	T486
A	70
B	3
C	22
D	14

MATERIAL - Mild Steel
FINISH - Galvanised (G)




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

DOUBLE PIN PEG


PART NO	T530
A	350
B	145
C	50
D	16
E	19



MATERIAL - Mild Steel
FINISH - Galvanised (C)

DOUBLE HEADED PEG

PART NO	T531
A	500
B	10
C	29




MATERIAL - Mild Steel
FINISH - Galvanised (G)

MARQUEE ROPE ANKER PEG PLATE ASSEMBLY

PART NO	T487
A	75
B	75
C	50
D	22
E	19
F	5
G	41
H	21


MATERIAL - Mild Steel with Aluminium Tubing
FINISH - Galvanised (G)



ROPE ANCHOR HOOK

PART NO	T528
A	93
B	35
C	17
D	6
E	3

MATERIAL - Mild Steel
FINISH - Galvanised (G), Yellow Passivated
Add G, or YP after Part No.
Normal stock (a). Other on request.




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

MARQUEE CENTRE POLE 2-SECTION


PART NO	T488
A	4500
B	63.5
C	2.5
D	155
E	275



MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G)

MARQUEE WALL POLE 1 SECTION


PART NO	T489
A	1830
B	38.1
C	1.2
D	70
E	70



MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G)

MARQUEE TENT HOOK

PART NO	T490
A	90
B	45
C	18
D	4




MATERIAL - Mild Steel
FINISH - Galvanised (G)

LUXURY GAZEBO

PART NO	T497
A	Length
B	Width
C	Height

MATERIAL - Mild Steel Tubing 25.4 mm
FINISH - Galvanised (G)
Sizes on request



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BANNER DISPLAY FRAME

PART NO	T434	T436
A	3000	2000
B	1000	1000
C	1000	1000
D	25.4	25.4
E	60°	60°


MATERIAL - Aluminium Tubing with Plastic Corners
Also available in Mild Steel Tubing Galvanised



JUNIOR GAZEBO

PART NO	T479	T480	T481	T482
A	2000	2000	3000	2400
B	2000	2000	3000	3000
C	2100	2100	1830	2100
D	2400	2400	2130	2400
E	25.4	19.05	25.4	25.4
Legs	4	4	4	4


MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G) Yellow Passivated (YP)
Other sizes available on request.



SENIOR GAZEBO

PART NO	T483
A	3000
B	4000
C	2100
D	2400
E	25.4
Legs	6

MATERIAL - Mild Steel Tubing
FINISH - Galvanised (G) Yellow Passivated (YP)
Other sizes available on request.



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


MISCELLANEOUS

NB: Measurements in Millimetres

TOGGLE

PART NO	M401
A	81
B	20
C	4
D	2.0


MATERIAL - Mild Steel
FINISH - Galvanised (G)



TOGGLE

PART NO	M402
A	81
B	20
C	5
D	2.0


MATERIAL - Mild Steel
FINISH - Galvanised (G)



TOGGLE

PART NO	M403
A	62
B	19
C	4
D	2.0


MATERIAL - Mild Steel
FINISH - Galvanised (G)



SHORT TOGGLE HOOK

PART NO	M405
A	58
B	27
C	10
D	2.0

MATERIAL - Mild Steel
FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

LONG TOGGLE HOOK

PART NO	M406
A	88
B	26
C	24
D	2.0


MATERIAL - Mild Steel
FINISH - Galvanised (G)



IDENTITY TAG

PART NO	M422
A	50
B	30
C	0.5


MATERIAL - Stainless Steel Gr 304
FINISH - 2B, Burr Free



POMMEL PLATE

PART NO	M423
A	90
B	50
C	1.2


MATERIAL - Brass



POMMEL PLATE

PART NO	M424
A	90
B	50
C	2


MATERIAL - Mild Steel
FINISH - Galvanised (G)



CANTLE

PART NO	M425	M426
A	310	265
B	15	15
C	0.6	0.6

MATERIAL - Mild Steel
FINISH - Unplated (UP)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

STIRRUP CLIP

PART NO	M428
A	100
B	68
C	5


MATERIAL - Mild Steel
 FINISH - Yellow Passivated (YP)



HEAVY DUTY HINGES

REAR HINGE

PART NO	M429
A	270
B	63
C	6



REAR HINGE BRACKET

PART NO	M430
A	65
B	6

MATERIAL - Mild Steel
 FINISH - Galvanised (G)


SIDE HINGE

PART NO	M431
A	270
B	63
C	6

SIDE HINGE BRACKET

PART NO	M432
A	65
B	5


MATERIAL - Mild Steel
 FINISH - Galvanised (G)



HINGE PIN

PART NO	M511
A	95
B	12.5
C	18

MATERIAL - Mild Steel
 FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

HAND-CUFFS COMMERCIAL TYPE

PART NO	M433
A	105
B	3
C	280
D	11
E	85
F	65

MATERIAL - Mild Steel
 Chain Links 28mm x 16mm x 4mm
 FINISH - Nickle Plated (NP)




SLEEVES

PART NO	M435	M436	M437	M438	M439	M440	M441
A	6	8	8	8	10	10	10
B	30	35	60	85	45	70	95
C	0.8	0.8	0.8	0.8	0.8	0.8	0.8

PART NO	M442	M443	M444	M445	M446	M447	M448
A	12	12	12	12	16	16	16
B	50	60	90	115	65	90	130
C	0.8	0.8	0.8	0.8	1.2	1.2	1.2

PART NO	M449	M450	M451
A	20	20	20
B	70	105	140
C	1.6	1.6	1.6


MATERIAL - Mild Steel
 FINISH - Yellow Passivated (YP)



DRAWER HANDLES - BRASS

PART NO	M452
A	70
B	53
C	2.1


MATERIAL - Solid Brass



SHOWER CURTAIN HOOK

PART NO	M453
A	70
B	32
C	2

MATERIAL - Mild Steel
 FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

FERRULES FOR CAPS - BRASS

PART NO	M454
A	41
B	10
C	3
D	0.2


MATERIAL - Brass
FINISH - Brass (B) or Nickle Plated (NP)



SWIVEL HINGES

PART NO	M456
A	40
B	35
C	19
D	25
E	2


MATERIAL - Mild Steel
FINISH - Galvanised (G) Unplated (UP)



1 X 1 CLIPS

PART NO	M463
A	25
B	25
C	18
D	8
E	2


MATERIAL - Mild Steel
FINISH - Galvanised (G)



LEG IRONS

PART NO	M475
A	325
B	142
C	110
D	16

MATERIAL - Mild Steel
Chain Links 36mm x 22mm x 6mm
FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

LARGE SAW HORSE BRACKET

PART NO	M476
A	105
B	117
C	112
D	35
E	1.0


MATERIAL - Mild Steel
FINISH - Galvanised (G)



SMALL SAW HORSE BRACKET

PART NO	M477
A	110
B	78
C	78
D	40
E	1


MATERIAL - Mild Steel
FINISH - Galvanised (G)



CLEAT

PART NO	M478
A	53
B	53
C	24
D	2
E	4


MATERIAL - Mild Steel
FINISH - Unplated (UP)



LAMP BRACKETS

PART NO	M479
A	48
B	22
C	4
D	1

MATERIAL - Mild Steel
FINISH - Galvanised (G) Stainless Steel Gr 304



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

EXHAUST BRACKETS

PART NO	M480
A	68
B	16
C	18
D	2.5
E	28

MATERIAL - Mild Steel
FINISH - Galvanised (G)



LOCKING DEVICE PLATES

PART NO	M481
A	88
B	38
C	52
D	35
E	2

MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)





PLATE WITH SLOT & HOLES

PART NO	M482
A	89
B	38
C	42
D	10
E	0.9


MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)



BACK PLATE WITH HOLES

PART NO	M483
A	89
B	38
C	1.5

MATERIAL - Mild Steel
FINISH - Yellow Passivated (YP)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

KEYHOLE PLATE

PART NO	M484
A	25
B	8
C	15
D	1


MATERIAL - Mild Steel
 Solid Brass
 FINISH - Nickle Plated (NP) Brass Plated (BP)



MAP CASE CLAMP

PART NO	M485
A	102
B	20
C	0.5


MATERIAL - Mild Steel
 FINISH - Galvanised (G)



MESS TRAY

PART NO	M486
A	425
B	315
C	23
D	0.9


MATERIAL - Stainless Steel Gr 304



CHAIR HOOKS

PART NO	M495
A	44
B	31
C	6


MATERIAL - Mild Steel
 FINISH - Galvanised (G)



L - BRACKET

PART NO	M497
A	60
B	40
C	2.5
D	5

MATERIAL - Mild Steel
 FINISH - Galvanised (G)



Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

BUTTERFLY BRACKET

PART NO	M499
A	70
B	20
C	30
D	3


MATERIAL - Mild Steel
FINISH - Galvanised (G)



CHAIR BRACKET

PART NO	M498	M496
A	160	114
B	16	16
C	3	3


MATERIAL - Mild Steel
FINISH - Unplated (UP)



SHOCK CORD HOOK

PART NO	M506
A	37
B	20
C	2.4


MATERIAL - Mild Steel
FINISH - Galvanised (G) Nickel Plated (NI)



CLOSED S - HOOK

PART NO	M510
A	48
B	30
C	4


MATERIAL - Mild Steel
FINISH - Galvanised (G)



WILDS HAKKIE

PART NO	M513
A	73
B	28
C	4

MATERIAL - Springsteel
FINISH - Galvanised (G) Yellow Passivated (YP)




WELLMAX PLASTICS

PART NO	M515
A	76
B	10
C	3



PART NO	M516
A	42
B	20
C	19



NOTES

[illegible]

Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

PLASTIC INJECTION MOULDINGS

NB: Measurements in Millimetres

All Plastic components available in black

Other colours available on request


ROUND END CAP (FERRULES)

PART NO	P300	P301	P302	P303	P304	P305	P306	P307
To Fit Tubing of Size (mm)	3.5	6	12	19	22	25	32	38




ROUND PLUG

PART NO	P313	P314	P315	P316	P317	P318
To Fit Tubing of Size (mm)	19	22	25	32	38	50




SQUARE END CAP (FERRULES)

PART NO	P309	P310	P311	P312
To Fit Tubing of Size (mm)	19	25	32	38




SQUARE PLUG

PART NO	P319	P320	P321	P322	P323	P324
To Fit Tubing of Size (mm)	19	22	25	32	38	50



SMALL END CAPS

PART NO	P224	P233
A	16	16
B	3	6
C	8	10




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


APEX TENT CUP

PART NO	P100
A	132
B	24
C	23




NON-SLIP ROPE ADJUSTER

PART NO	P101
A	8
B	7.5
C	66
D	8




FLAG TOGGLE

PART NO	P102
A	60
B	10
C	12



5-STAR CHAIR BASE COVER (SHROUDS)

PART NO	P120
A	50
B	50
C	25




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


CHAIR ARM REST

PART NO	P136
A	340
B	46
C	26




AUSSIE CLAMP

PART NO	P141
A	22
B	8
C	20
D	48




EYELETS

PART NO	P142
A	12
B	30




TENT POLE CLIP

PART NO	P220
A	23
B	32
C	23



PLASTIC WASHER

PART NO	P221
A	10
B	5
C	3




Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS


WATER BAG SPOUT

PART NO	P222
A	18
B	31
C	30




TENSIONER BUCKLE 19 mm

PART NO	P223
A	50
B	20




STACK BLOCK

PART NO	P232
A	25
B	25
C	14



LNB HOLDER L/H & R/H

PART NO	P132
A	86
B	38
C	24



Wellmax Metal Pressings

18 Central Avenue, Eastleigh, Edenvale, RSA
 P O Box 98, Bedfordview, 2008, South Africa
 Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
 eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

FLEXI-CORNERS™ for Tents, Gazebos, Furniture, Shelving ...etc.


A revolutionary patented concept in corner piece manufacturing. Made from light and durable UV Stabilised plastic, the **Flexi-Corners™** will not rust, making them ideally suited for use with almost any outdoor frame structure such as tents, gazebos, car ports, sun shades, green houses, chairs, tables, etc. Being robust and yet attractive, they can also be used in the manufacture of shelving and stands for the home, office, shops ... in fact any application that requires a joint assembly.

The **Flexi-Corners™** are made up of modular components making them easy to assemble ... any corner type and/or angle required will be produced in a fraction of the time of its steel equivalent.


Order the **Flexi-Corners™** separately or alternatively: tell us your application and we will manufacture the entire product for you in our processing plant.

The **Flexi-Corners™** are available in various colours and angle combinations.


PART No. P200: 2 WAY SECTION




PART No. P201: 3 WAY 'T' SECTION



PART No. P202: STANDARD 3 WAY SECTION



PART No. P203: 4 WAY 'T' SECTION




Wellmax Metal Pressings


18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
eMail: wellmax@wellmax.co.za Web: www.wellmax.co.za

WELLMAX PLASTICS

PART No. P204: STANDARD 4 WAY SECTION





PART No. P205: 5 WAY SECTION



- Suitable for 25,4 and 22,23 mm O.D. Round tubing.
Other sizes available on request.

STANDARD 3 WAY SECTION WITH SPIGOT








When ordering please state Part No. followed by required angle e.g. - P202 / 150°

Also available with Standard 4 Way Section

FLEXI CORNER INSERT 22mm

PART NO	P236
A	48
B	22





Wellmax Metal Pressings

WELLMAX PLASTICS

18 Central Avenue, Eastleigh, Edenvale, RSA
P O Box 98, Bedfordview, 2008, South Africa
Tel: +27 11 609-1023/4 or 609-8220/1 Fax: +27 11 452-6310
E-mail: wellmax@wellmax.co.za Web: www.wellmax.co.za